

Living with Suffering: Buddhist Wisdom Illustrated by a Widow

Fung Kei Cheng
Hong Kong

Abstract

Available literature, largely based on Western theories, investigates suffering from spousal loss, which can threaten an individual's physical health and psychological well-being; however, limited studies examine how Buddhists overcome this difficulty. This case study, by in-depth semi-structured interviews, explores the lived experience of a Buddhist surviving spouse who underwent the sudden loss of her husband. Qualitative data were analysed by interpretative phenomenological analysis, with the aid of ATLAS.ti 7, a software package. In order to enhance the trustworthiness, peer analysis (inter-rater reliability=92%) and member-checking were adopted. Findings revealed that the bereaved Buddhist was living with feelings of guilt, but when she applied Buddhist wisdom, including the teachings of impermanence and cause-and-effect, hopes of a reunion in future lives due to the cycle of birth and death, living in the present moment, self-awareness, and strengthening capabilities to deal with afflictions, this widow could let the sense of guilt peacefully coexist with her being. Her living with suffering hints at tackling distress through a deeper understanding of the formation of the phenomenal world, and mind management, implying that Buddhist philosophy not only offers alternative views to interpret the continual relationship between survivors and the deceased, but also inspires helping professionals to extend the horizons of their therapeutic services.

Keywords: cause-and-effect, cycle of death and rebirth, grief and bereavement, impermanence, karma, **Mahāyāna**, spousal loss

Introduction

Grief, caused by the indelible loss of a beloved one, and indicating a permanent “loss of relationship” (Nesse, 2005, p. 202), is one of the life’s major difficulties (Büchi et al., 2007; Malkinson, 2010), in particular, sudden spousal loss (Kübler-Ross & Kessler, 2005; Khosravan, Salehi, Ahmadi, Sharif, & Zamani, 2010). The death of a spouse is rated as the highest stressful life event (Holmes & Rahe, 1967), yielding disruptive impacts on physical health (Eisma, 2015; Ong, Fuller-Rowell, Bonanno, & Almeida, 2011), and it is accompanied by various levels of emotional disorder symptoms (Bowlby, 1980; Chan et al., 2012; Chan et al., 2011; Hensley & Clayton, 2013; Iglewicz, Seay, Vigeant, Jouhal, & Zisook, 2013; Karam, Tabet, & Itani, 2013; Pies, 2013); for instance, anxiety and depression, especially in the female population (DiGiacomo, Lewis, Nolan, Phillips, & Davidson, 2013; Mohamed, Elati, & Zaki, 2015), whose daily functions are affected (Lund, Caserta, Utz, & De Vries, 2010; Richardson, 2010; Shear, 2015).

Although grief and mourning vary from person to person (Hensley, 2008), these bereaved individuals usually undergo four phases of mourning (Bowlby, 1980): numbness, searching for the deceased, disorganisation, and re-organisation in order to cope with this adversity by “reducing, mastering, and tolerating” (Stroebe, 2010, p. 274) the loss, thus achieving healthy mourning (Hoppes & Segal, 2010). Grief, as part of the healing process (Cholette & Gephart, 2012), engenders disparate psychological reactions, including making sense of the loss (Neimeyer, 2000), personal growth (Carnelley, Wortman, Bolger, & Burke, 2006; Yalom & Lieberman, 1991), feelings of guilt, and continuing bonds with the deceased (Malkinson, 2010).

Forming a continuing bond (Bowlby, 1980) in order to maintain an engaged relationship for any “unfinished business” (Kübler-Ross, 1997, p. 187) following the death of a beloved one (Small, 2001) accents a coping strategy of mourning (Baker, 2001) to accept the reality of the loss (Ronen et al., 2009), and its “adaptiveness” (Field, Gal-Oz, & Bonanno, 2003, p. 111). However, there is an ongoing debate about continuing or relinquishing such bonds (Stroebe, Schut, & Stroebe, 2005), which is associated with the process and strategy of tackling loss, coping styles (Stroebe, 2010), values, and cultural influences (Ronen et al., 2009).

Religion, a method of healing wounds (Kübler-Ross, 1974; Ozorak, 1996) and reflecting cultural values, offers solace to individuals who suffer from trauma (Seirmarco et al., 2011). This helps to attain better psychological adjustment (Ross, Handal, Clark, & Wal, 2009), in particular, bereavement rituals (Nwalutu, 2012) benefiting “restoration of functioning” (Shear, 2010, p. 358). While voluminous studies investigate how to deal with bereavement in Western religions, such as Coleman, Ivani-Chalian, and Robinson (2004) for the aged, Flatt (1988) for

grief counselling, and Pond (2012) for children, there is insufficient research from the perspective of Eastern religions such as Buddhism which may have a different view on this issue.

Buddhists possess emotions of grief (Kübler-Ross, 1981) such as guilt, regret, and anger, and these can be caused by unresolved issues between the deceased and the survivor (Goss & Klass, 1997), for which caring practitioners have started studying grief and bereavement counselling based on Buddhist resources, involving Japanese, Tibetan, and early Buddhism. Despite the psychological interaction in which the survivor and the deceased hold a symmetrical power through which to benefit or hurt each other (Klass & Goss, 1999), continuing the relationship between the bereaved and the deceased remains a critically cultural concern among the Japanese, as many of their customs are rooted in Buddhism (Bowman & Richard, 2003; Klass, 2001; McConnell, 1999). Moreover, ritual healing (Kwan, 2007) as one of the major tasks of Buddhist priests (Kawamura, 2000; Nakasone, 2000) (for instance, funeral and ancestor rituals) (Klass, 1996) is connected to blessing the deceased and leading the dead to a positive next life. In contrast, Tibetan Buddhism aims to transcend grief (Goss & Klass, 1997), and “deconstruct egocentric grasping” (Goss & Klass, 1997, p. 392) for self-soothing.

By comparing Buddhist psychology, and applying it to grief counselling in Western models, aided by a case illustration and a reflection on group intervention, one study discussed the concept of non-dualism (Kaori & Park, 2009) which might potentially be integrated into grief counselling. Additionally, Chen (2000) formulates a grief counselling model, supported by a passage about spousal loss in *Āgama*, one of the important collections of Theravāda, a Buddhist denomination. The model involves bereavement events, reactions of grief, the counselling process, and effectiveness, as explained by the four noble truths: suffering, cause of suffering, ceasing of suffering, and path of ceasing of suffering respectively. Although this attempt provides an alternative discussion for grief counselling, its focus on textual analysis restricts it to a literary theoretical discourse, without support from personal narratives of the bereaved.

Since Buddhism is one of the three embedded religious faiths among the Chinese (Neuberger, 2005), further investigations into how Chinese Buddhists expunge misery towards the death of a beloved one potentially contribute to the Chinese culture, influencing a large population. The current research explores how a Chinese Buddhist relieved the feelings of guilt through Buddhist principles during the bereavement of spousal loss. This has helped the informant to be able to live with the distress, which may inspire diverse views for caring professionals who deal with clients affected by grief and bereavement to consider.

Research Design

This exploratory research was approved by the Human Research Ethics Committee for Non-

Clinical Faculties, The University of Hong Kong. It adopts a single case study, an empirical inquiry (Yin, 1989), which examines real life (Soy, 1997) through a microscopic lens (Hamel, Dufour, & Fortin, 1993), and achieves insight (Yin, 2003) through relatively new topics (Eisenhardt, 1989; Nithsdale, Davies, & Croucher, 2008; Tellis, 1997; Tsoukas, 1989). The participant, Pureté de Lotus (her dharma name), being recruited through electronic mail, fulfilled the selection criteria, which included the following: first, she is a Buddhist; second, she is a bereaved survivor; and lastly, she was emotionally stable during the interview process.

In this case study, semi-structured, in-depth interviews were conducted in Hong Kong and recorded digitally. The verbatim transcriptions were analysed using interpretative phenomenological analysis that explores the “sense of self” (Shinebourne & Smith, 2009, p. 164), subjective feelings and meaning of life of the insider (Clare, Rowlands, Bruce, Surr, & Downs, 2008; Jackson & Coyle, 2009; Smith, 1996). The analysis process was aided by ATLAS.ti 7, a computer-assisted programme. In order to enhance the research rigour, this study adopted member-checking to ensure the accuracy of transcriptions and data interpretation through an analysis map, and a co-analysis by two analysts (the principle researcher and a peer analyst) coding separately and comparing the coding results, with a inter-rater reliability of 92%. One “super-ordinate theme” (Smith, Flowers, & Larkin, 2009, p. 107) (“living with suffering”) emerged from five “emergent themes” (Smith et al., 2009, p. 91) (easing feelings of guilt, thought transformation towards life and death, mourning rites, living in the present moment and self-awareness, and developing capabilities).

Findings and Discussion: Living with Suffering

The Bereaved Buddhist

Pureté de Lotus (hereafter simply referred to as Lotus), a Chinese middle-aged social worker, has been living in Hong Kong since her husband passed away. She met her husband on a European tour, and after she married she stayed in France more than 10 years. Enjoying a simple life there, she was eager to develop her spirituality and returned to Hong Kong study Buddhism, something her husband also encouraged her to do. The couple stipulated a gradual moving arrangement, in which Lotus went to Hong Kong first and her husband would follow, taking a sabbatical leave to join her later. Lotus settled down smoothly and delighted in her studies until one day in 2009 when she received a message about her husband’s sickness. She immediately returned to France but found her husband doing well. This made her husband agree to her leaving after a few days. However, she subsequently received heart breaking news about her husband’s sudden death (due to latent aetiology) after returning to Hong Kong.

Lotus heavily blamed herself for missing her chance to be with her husband in his last days, implicating herself in not keeping her marriage vow to look after him. This made her feel

depressed, regretful, and guilty (Kübler-Ross & Kessler, 2005). Since she continued her Buddhist studies, Lotus prudently managed her guilty feelings in trying to live with suffering throughout the phases of her grief and bereavement. Being a Buddhist, she invoked such insightful reactions towards her pain and regret by using Buddhist teachings along with her coping strategies.

Buddhism

Buddhism was developed in India (Suzuki, 1938/1981b) 2,500 years ago by the Buddha, which title refers to an enlightened person (Gethin, 1998). Its aim is annihilating distress (Conze, 1953), called perfect stillness, and attaining inner happiness. **Mahāyāna, one of the contemporary mainstreams of Buddhism, expounds on the suffering yielded by misperception of the phenomenal world, and on freedom of affliction through mind management (Suzuki, 1938/1981a).** Mahāyāna doctrines elicit that sentient beings have to manage their emotional reactions (the metaphorical illness) towards life's challenges; collectively termed attachment and vexations (Ng, 1994), from which they transfer challenges as such to the assets of helping other people. Challenges are neutral, but uncontrollable and non-autonomous. However, sentient beings can manipulate only their emotional and psychological responses; therefore, they should not insistently try to alter their challenges, which more heavily aggravate the frustrations they experience. Instead, they should calmly see reality as it is and find ways to experience challenges positively, resulting in self transformation. Lotus underwent this process incurred through her spousal loss, as detailed below.

Living with Suffering

The metaphoric illness for Lotus refers to her emotional responses towards feelings of guilt and grief, for which she adopted the strategies of easing her feelings of guilt, thought transformation towards life and death, mourning rites, the here-and-now, and personal development. Inspired by Buddhist teachings, such as impermanence, and cause-and-effect, Lotus was able to prevail over her "illness" in a relaxed manner, by transforming her thoughts, and continuing the relationship with her late husband spiritually through mourning rites, remarking an achievement of "meaning management" (Wong, 2008, p. 66).

Easing feelings of guilt. Loss and guilty feelings always intertwine (Lamb, 1988), but guilt implicitly accepts a personal responsibility for the misfortune (Doosje & Branscombe, 1998). Lotus felt a compunction about not fulfilling her wedding pledge to stay beside her late husband when he was sick. Her absence in the last phase of his life insinuated a personal failure in loving him, and became unfinished business that she could never complete. During that time, she was unable to look after herself.

Time goes by but the hurt continues. Lotus was unwilling to return to the institute where she studied Buddhism because the place marked a mental scar underscoring the loss of her beloved husband. Within those years, her guilty feelings occasionally attacked her, provoking painful regrets. Instead of avoiding the pain (Shear, 2010), she faced the bereavement, accepted “the reality of the loss” (Carr & Jeffreys, 2011, p. 87), and frankly admitted her persistent feelings of guilt, revealing:

“[The feelings of guilt] doesn’t increase. It may have reduced a little, at least I feel so. [It] will appear, occasionally. But, ... I won’t deliberately let the feelings of guilt disappear. It’s still there. But, I can’t say it isn’t here, or lie to myself. ... I won’t feel guilty to the extent of committing suicide. ... But, I can’t say I don’t have [the guilty feelings], ...”

Lotus had not considered whether or not she could remove her feelings of guilt, but had instead learned to live with it (de Silva, 2012), coexisting with imperfection. Her disregard for negative emotions towards her guilt pulled her to re-develop herself, but this did not interrupt her daily life. Even though her feelings of guilt sometimes arose, for which she would cry and feel upset, she accepted this wound as part of her life, which drove her to manage herself better.

“I also can let go gradually. Perhaps, [I] can’t ever let it go, then I don’t let it go. ... It (the feelings of guilt) doesn’t hinder my life. You sometimes think a little bit, will feel, really not good, cry a little bit. Then, you feel this is part of your life. You temporarily let it be. I think I don’t know how to let go. This is true. ... Even I say I have to let it go, but you still feel something is not good. There is still a scar. ... Perhaps, it is difficult to ask myself not to feel guilty when [I] feel guilty. Therefore, it is better to do something positive.”

Her acceptance of these guilty feelings made Lotus reduce her resistance to face the distress. When she admitted her misfortune, she was able to manage the feelings, which released her from the emotional reactions towards her guilt through Buddhist wisdom. The reasons for this achievement were related to thought transformation and emotional ventilation through mourning rites.

Thought transformation towards life and death. Having experienced her spousal loss, Lotus viewed life and death differently based on Buddhist philosophy, such as impermanence, and cause-and-effect, through which she could cope with bereavement.

Life is impermanent, and powerlessly controlled (Long, 1975), for which Lotus had a strong feeling of uncertainty, which explains that all beings are transient and temporal, including herself. She realised her non-autonomy. Despite capriciousness occurring across life that

never be predicted, Lotus learned to attain an ordinary mindset in order to accept the consequences as long as she had done her utmost to carry out her own plans. Hence, she was worry-free and lived with success and failure, or gratification and frustration.

Furthermore, Lotus interpreted her situation as being that her marriage had originated from her previous lives in which her husband owed her and thus loved her in this life for compensation, or vice versa, eliciting her understanding of cause-and-effect and the cycle of death and rebirth:

“[It] may be a previous cause. ... This is the cycle of cause-and-effect. Maybe, he did something bad to me in the past, and so I do something bad to him now. ... Perhaps, he owed me in our previous lives, and so he had to repay me in this life. [He] owed me something. This is the mutual benefit between cause and effect. ... Was it that he treated me badly in the past, or I treated him badly? What was it like to be bad or not bad?”

Lotus also perceived cause-and-effect as an opportunity in which the loss prepared them for their reunion in a future life (Conant, 1996) caused by the cycle of death and rebirth, which energised her to look after herself and do something good for her late husband in order to take advantage of this opportunity, accounting for it like this:

“Perhaps, it’s paving a path and planting a cause for the next life. I need to do more for him in my next life. ... I think I need to cultivate some good causes. ... I hope to plant more positive seeds, and hope that they will help us meet in the future. That is, we believe we have future lives, the cycle of birth and death, recycling. I also hope to meet him.”

These notions of interdependence and inter-affinity reveal that life and death are unnecessarily antagonistic but may hint at something ahead. With insight into the unity of life and death (death is the inception of the next life), Lotus gradually alleviated her grief and optimistically began creating favourable conditions for her desire to meet her husband again in a future life, relating:

“Accepting the interconnection of life and death ... [There is] no coming, no going. Which is the cause? Which is the consequence? That is, they are intertwined. I won’t grieve so much for my husband’s leaving. Perhaps, there is a cause missing somewhere. Another factor will create better conditions elsewhere.”

Lotus positively interpreted impermanence and cause-and-effect, according to the Buddhist connotations, embracing the opportunities to continue their marriage in a future life striving to take care of herself better.

Mourning rites. Mourning rites offer mourners the opportunity to alleviate complex emotions after the loss of a loved one and then reintegrate into the community (Bowker, 1997). Using a variety of “mourning aids” (Weinbach, 1989, p. 58), Lotus sensed her inner feelings related to continuing her bonds with the deceased through this ritualistic performance (Aguilar & Wood, 1976). She treasured a spiritual connection with her late husband more than the physical liaison, valuing that spiritual connection as long-lasting without geographical constraints, thus delineating:

“Our relationship also has its beautiful side. It’s also perfectly halted at an appropriate time. I’m not saying it’s an end. We stopped at some point in time, and I also feel there is still a certain spiritual connection between us. That is, apart from love, the connection is spiritual.”

The spiritual connection was realised through tracing her late husband’s past experiences with which Lotus might not be as familiar. She returned to France and visited places her husband had been to before in order to retrieve sweet memories, retain an impression of the days in which they had been united, and discover all his old stories that were new to her, as if she were in fact following him, recalling:

“We were married for a long time. We were united as one. Splitting up needs time. Recently, for the stories he told me, I paid a visit, browsed in Paris. This left me with a deep impression. ... I felt I wanted to trace his footprints ... It was some very romantic feeling – that I could fall in love with him again. ... I tried to know him again, locate his footprints. ... So I then went to places he had visited. Would he have left any revelation for me?”

Also, Lotus shared her mourning rites with her husband’s friends by gathering them to practise Tai-chi in front of his picture, displaying his friends’ works of photography, and joining a marathon, illustrating that the more open she was to the memories, the greater opportunities she had to deal with grief and bereavement (Rubin, 1998). This not only showed respect to the deceased, but also converted Lotus’s sorrow into energy; and more importantly, touched him spiritually as she could subjectively feel.

Although Lotus kept her husband’s effects for a long period of time, the possession of them maintained memories about them as a couple (Kübler-Ross & Kessler, 2005), and she finally decided to dispose of them. This process was a ritual for her, in which she struggled with the decision to burn these items. It marked an ambivalence towards spiritual and physical connections that she grasped, remembering:

“This year, I eventually burnt his stuff. ... [I brought] his old stuff to a friend’s house

to burn it. ... Reluctant, reluctant! When burning, [I] felt this one piece can't be burnt, so [I] kept it again. It would be pity if it were burnt! ... It is also a small ritual. I feel it's good for him and me, [because of which he would have a good next life]."

Instead of being encapsulated in a "trauma membrane" (Catherall, 1986, p. 474) to avoid painful memories of the traumatic event, Lotus combated her vulnerability and transformed grief into motivation (Goss & Klass, 1997; Park & Halifax, 2011), resulting in enrichment of her life through adversities by living in the present moments and self-awareness, and by developing other capabilities. This transformation stemmed from her knowing self-loving-kindness, by which she experienced Buddhist wisdom in theory, practice, and spirituality, bearing witness that religion contributes to self transformation (Ullman, 1989). She affirmed that:

"Buddhism helps me. ... I think it's a search for spiritual soothing, a search for spirituality."

Living in the present moment and self-awareness. Lotus, as a Buddhist devotee, realised the essence of Buddhist wisdom, in particular, the here-and-now, and self-awareness. Concentrating on the present moment, she neither binged on remembering her husband and the loss, nor felt anxious about her single life. Through this practice, she was able to understand impermanence more deeply, including the uncontainable reality, through which understanding she reduced her grief, and the complaints regarding her doleful experience. In addition, she strengthened her sensitivity to her emotional changes and psychological needs. Thus, she did not deny her vulnerability, but instead overcame her sense of helplessness by taking on deep breathing, chanting, reciting canons, or imaging a bodhisattva (a person who is dedicated her/himself to altruism), reiterating that:

"Learning Buddhism is to live in the present moment, to rely on oneself, to have one's own awareness. ... Sometimes I feel upset because our (she and her late husband) relationship was very good. ... When [I] am sad, I will breathe, take deep breaths, and leave sadness to the present moment. This helps me to release the pressure. ... But in helpless situations, you still need to ... chant scriptures. Sometimes, this helps a little bit. ... I recite the Heart Sutra. Do these things. Bring Kuan-yin (a bodhisattva) to mind. This is also enhancement, protection."

Developing capabilities. Lotus, as if she had been reborn through "lessons of loss" (Neimeyer, 2002, p. 940), became stronger in coping with her bereavement as well as more independent. She had to rely on herself, declaring that this loss brought her to re-develop her capability of coping with difficulties, looking after herself, and attempting new things (Bennett, Gibbons, & Suzanna, 2010), for example, riding a bicycle – something she did not know how to do before.

A significant reason for her happiness is the good journey she anticipated towards her late husband's next life (Goss & Klass, 1997):

“In the past, I relied on my husband. But now I can't rely on him, and I find someone else or myself to rely on. ... Death has brought me a lot. For instance, it has made me learn some new skills. For example, at that time, I regretted not riding a bicycle with him. ... But now I can ride a bicycle in down town, ride a mountain bike, and try many new things ...”

Advancing greater personal growth after loss and traumatic distress (Davis & McKearney, 2003; Harms & Talbot, 2007; Joseph, 2009; Pals & McAdams, 2004), often termed post-traumatic growth (Currier, Mallot, Martinez, Sandy, & Neimeyer, 2013; Tallman, Shaw, Schultz, & Altmaier, 2010), particularly in women (Büchi et al., 2009), Lotus treasured suffering and impermanence (Goss & Klass, 1997), from which she felt enlightened, attaining life meaning (Carr & Jeffreys, 2011; Goss & Klass, 1997; Katz, 2001) and consequently “resolving grief [which starts] by accepting the reality of grief” (Goss & Klass, 1997, p. 387).

Practical Implications

This case study reveals four practical implications, involving non-dualism, religious coping, reunion in a future life, and limitations and future research directions.

Non-Dualism

Dualism is a habitual thought model for sentient beings, forming either/or patterns (Cheng, 2014c); for instance, the choice to accept/reject, which compels individuals to struggle with the two extremes, thereby creating resistance, disapproval, and the tension of choosing correctly. This pressure invokes anxiety that negatively impacts mental health, especially for survivors who have experienced the loss of a loved one.

In spite of assuaging grief over time (Rubin & Schechter, 1995), working through distress is difficult (Schick, 2011). Psychological, family, and social support for the bereaved are indispensable (Carr, 2010; Davies, 2011) during this process of change (Yalom & Sophia, 1988). However, a continuing relationship with the dead is always desirable to the survivor, which may really disrupt the daily functioning of the bereaved for a longer period of time. Renouncing the “relocation of the deceased” (Stroebe et al., 2005, p. 62) is therefore proposed, through loosening the bonds in order to reduce grief while maintaining the continuation psychologically. In contrast, encouraging the bereaved to “construct new biographies of the living and the dead” (Klass & Goss, 1999, p. 552) enables the survivor to clarify hesitations (Kaplan, 2014), enrich the meaning of his/her future life (Field et al., 2003) and transform grief

into self autonomy and personal growth (Field, 2010; Khosravan et al., 2010).

In the context of the above debate, this study addresses an alternative, that is, the idea of neither intentionally maintaining nor surrendering the bonds between the bereaved and the deceased (Kaori & Park, 2009), thus relinquishing this dualistic choice (Wright, 2012). When Lotus surrendered the choice between “guilt-proneness” (Flynn & Schaumberg, 2012, p. 125) and guilt avoidance, she overcame her emotional responses to the misfortune, and learned to live with her regret. This leaves another option for counsellors who deal with clients struggling with self-blame.

Religious Coping

Previous studies indicate a positive correlation between religious coping and trauma (Gerber, Boals, & Schuettler, 2011), and mental health (Behere, Das, Yadav, & Behere, 2013; Kvande, Klöckner, Moksnes, & Espnes, 2015). However, religious coping does not necessarily present a lot of rituals, usually utilising only the funeral ceremony. Instead, personal artefacts (Riches & Dawson, 1998) and the continuation of their common social networks are also emotional props, from which Lotus re-gained a “romanticism” (Katz, 2001, p. 272) and created spiritual companionship (Baker, 2001). This study raises a cultural concern (Koca-Atabey & Öner-Özkan, 2014) and reports a variety of religious coping strategies originating from the social activities and personal interests of the deceased, also offering references for bereavement counselling.

Reunion in a Future Life

Hope substantiates victims to live on (Kübler-Ross, 1969). The hope of reunion in a future life was the result of Lotus’s “optimistic explanatory style for negative events” (Ho, Chu, & Yu, 2008, p. 473) through the teachings of impermanence, cause-and-effect, and the cycle of death and rebirth (Cheng, 2015b), so that she accepted her husband’s passing away, and learned to enjoy the present moment (Fawcett, 2013) with self-loving-kindness. This significant idea from the survivor dimension urges counsellors not only to non-judgementally listen to their clients (Wang, 2007) but also to facilitate them to live well without the deceased (Worden, 1991). However, counsellors prevent clients from mistakenly creating superstitious hope.

Limitations and Future Research Directions

This case study presents the personal experience of a Buddhist survivor, which supplies an in-depth narrative that does not aim for generalisation. However, it reveals insight into tackling self-blame through Buddhist teachings, which may invite further discussions on how to apply these ideas to non-Buddhists. Moreover, **Mahāyāna** involves twofold: first, self healing and

transformation; and second, mutually-benefiting altruism, which was previously translated as “self-benefiting altruism” (Cheng, 2014a, pp. 141-146; 2014b, pp. 359-365; 2014d, pp. 79-83; Cheng, 2015a, pp. 206-207; Cheng, 2015b, pp. 286-287; 2015c, pp. 41-42; Cheng & Tse, 2014a, p. 34). This study focuses on the areas of healing effects while future research is suggested on how Buddhist altruistic behaviour can be conducive to dealing with grief and bereavement.

Conclusion

This single case study explores how a Buddhist survivor can cope with guilt springing from spousal loss, and how this widow experienced self transformation through living with suffering from the Buddhist perspective. The participant is able to live peacefully with her regret and retain an interconnectedness with the deceased via various mourning rites, self-awareness, living in the here-and-now, and strengthening personal capabilities, resulting in converting frustration and adversities into energy and motivation, all of which give potential avenues to explore for grief and bereavement counselling. This research also proposes future directions towards application of Buddhist wisdom to non-Buddhists dealing with psychological trauma incurred by spousal loss.

References

- Aguilar, I., & Wood, V. N. (1976). Therapy through a death ritual. *Social Work, 21*(1), 49-54.
- Büchi, S., Mörgeli, H., Schnyder, U., Jenewein, J., Glaser, A., Fauchère, J.-C., Butcher, H. U., & Sensky, T. (2009). Shared or discordant grief in couples 2-6 years after the death of their pre-mature baby: Effects on suffering and posttraumatic growth. *Psychosomatics, 50*(2), 123-130.
- Büchi, S., Mörgeli, H., Schnyder, U., Jenewein, J., Hepp, U., Jina, E., Neuhaus, R., Fauchère, J.-C., Bucher, H. U., & Sensky, T. (2007). Grief and post-traumatic growth in parents 2-6 years after the death of their extremely premature baby. *Psychotherapy and Psychosomatics, 76*, 106-114. doi: 10.1159/000097969
- Baker, J. E. (2001). Mourning and the transformation of object relationships: Evidence for the persistence of internal attachments. *Psychoanalytic Psychology, 18*(1), 55-73. doi: 10.1037//0736-9735.18.1.55
- Behere, P. B., Das, A., Yadav, R., & Behere, A. P. (2013). Religion and mental health. *Indian Journal of Psychiatry, 55*, 187-194. doi: 10.4103/0019-5545.105526
- Bennett, K. M., Gibbons, K., & Suzanna, M.-S. (2010). Loss and restoration in later life: An examination of dual process model of coping with bereavement. *OMEGA: Journal of Death and Dying, 61*(4), 315-332. doi: 10.2190/OM.61.4.d
- Bowker, J. (1997). Mourning rites. *The concise Oxford dictionary of world religions*. Retrieved January 17, 2014, from <http://www.encyclopedia.com/doc/1O101-Mourningrites.html>.
- Bowlby, J. (1980). *Attachment and loss, Volume III: Loss: Sadness and depression*. London: The Hogarth Press Limited.
- Bowman, K. W., & Richard, S. A. (2003). Culture, brain death, and transplantation. *Progress in Transplantation, 13*(3), 211-217.
- Carnelley, K. B., Wortman, C. B., Bolger, N., & Burke, C. T. (2006). The time course of grief reactions to spousal loss: Evidence from a national probability sample. *Journal of Personality and Social Psychology, 91*(3), 476-492. doi: 10.1037/0022-3514.91.3.476
- Carr, D. (2010). New perspectives on the dual process model (DPM): What have we learned? What questions remain? *OMEGA: Journal of Death and Dying, 61*(4), 371-380. doi: 10.2190/OM.61.4.g
- Carr, D., & Jeffreys, J. S. (2011). Spousal bereavement in later life. In R. A. Neimeyer, D. L. Harris, H. R. Winokuer, & G. F. Thornton (Eds.), *Grief and bereavement in contemporary society: Bridging research and practice* (pp. 81-91). USA: Routledge.
- Catherall, D. R. (1986). The support system and amelioration of PTSD in Vietnam veterans. *Psychotherapy, 23*(3), 472-482.
- Chan, C. L. W., Wang, C.-W., Ho, A. H. Y., Qu, Z.-Y., Wang, X.-Y., Ran, M.-S., Mao, W.-J., Lu, B. Q.-B., Zhang, B. Q., & Zhang, X.-L. (2012). Symptoms of posttraumatic stress

- disorder and depression among bereaved and non-bereaved survivors following the 2008 Sichuan earthquake. *Journal of Anxiety Disorders*, 26, 673-679.
- Chan, C. L. W., Wang, C.-W., Qu, Z., Lu, B. Q., Ran, M.-S., Ho, A. H. Y., Yuan, Y., Zhang, B. Q., Wang, X., & Zhang, X. (2011). Posttraumatic stress disorder symptoms among adult survivors of the 2008 Sichuan earthquake in China. *Journal of Traumatic Stress*, 24(3), 295-302. doi: 10.1002/jts.20645
- Chen, Z. Y. 陳. (2000). An exploration of grief therapy from Āgama 7th text 以《增壹阿含·善聚品》第七經為主之喪親輔導個案初探. *Chung-Hwa Buddhist Journal* 中華佛學研究, 4(March), 35-58.
- Cheng, F. K. (2014a). The bodhisattva spirit: Practising self-benefiting altruism. *Fuyan Buddhist Studies*, 9, 93-168.
- Cheng, F. K. (2014b). *Conceptualising a bodhisattva-spirit-oriented counselling framework inspired by the Vimalakīrti Nirdeśa Sūtra*. (Unpublished PhD thesis), The University of Hong Kong, Hong Kong.
- Cheng, F. K. (2014c). *A goddess scattering flowers: A dramatic performance to illustrate the Mahāyāna concept of indiscrimination in the Vimalakīrti Nirdeśa Sūtra*. Paper presented at the 2014 International Conference of East Asian Buddhist Thoughts and Culture, Taipei, Taiwan.
- Cheng, F. K. (2014d). Overcoming “sentimental compassion”: How Buddhists cope with compassion fatigue. *Journal of the Oxford Centre for Buddhist Studies*, 7(November), 56-97.
- Cheng, F. K. (2015a). A qualitative study of Buddhist altruistic behaviour. *Journal of Human Behaviour in the Social Environment*, 25(3), 204-213. doi: 10.1080/10911359.2014.966220
- Cheng, F. K. (2015b). Recovery from depression through Buddhist wisdom: An idiographic case study. *Social Work in Mental Health*, 13(3), 272-297. doi: 10.1080/15332985.2014.891554
- Cheng, F. K. (2015c). Untainted compassion: Conceptualising a tripod model for mental wellness. In P. Grant (Ed.), *Compassion: Social significance, role in healthcare and psychological effects* (pp. 25-76). New York: Nova Science Publishers, Inc.
- Cheng, F. K., & Tse, S. (2014a). A bodhisattva-spirit-oriented counselling framework: Inspired by Vimalakīrti wisdom. *International Journal of Dharma Studies*, 2(6), 1-52. doi: 10.1186/s40613-014-0006-9
- Cheng, F. K., & Tse, S. (2014b). “Just eliminate the illness; Do not eliminate dharmas”: A case study on the lived experience of a Buddhist surviving spouse. Paper presented at the 4th Asian Conference on Psychology and the Behavioural Sciences, March 27-30 (pp. 41-58), Osaka, Japan.
- Cholette, M., & Gephart, S. M. (2012). A model for the dynamics of bereavement caregiving.

International Journal of Childbirth Education, 27(2), 14-18.

- Clare, L., Rowlands, J., Bruce, E., Surr, C., & Downs, M. (2008). The experience of living with dementia in residential care: An interpretative phenomenological analysis. *The Gerontologist*, 48(6), 711-720.
- Coleman, P. G., Ivani-Chalian, C., & Robinson, M. (2004). Religious attitudes among British older people: Stability and change in a 20-year longitudinal study. *Ageing and Society*, 24, 167-188.
- Conant, R. D. (1996). Memories of the death and life of a spouse: The role of images and sense of presence in grief. In D. Klass, P. R. Silverman, & S. L. Nickman (Eds.), *Continuing bonds: New understanding of grief* (pp. 179-198). Washington, DC: Taylor & Francis.
- Conze, E. (1953). *Buddhism: Its essence and development*. London, Oxford: Bruno Cassirer.
- Currier, J. M., Mallot, J., Martinez, T. E., Sandy, C., & Neimeyer, R. A. (2013). Bereavement, religion, and posttraumatic growth: A matched control group investigation. *Psychology of Religion and Spirituality*, 5(2), 69-77. doi: 10.1037/a0027708
- Davies, T. (2011). Bereavement care: The role of the DN? *Journal of Community Nursing*, 25(6), 12-15.
- Davis, C. G., & McKearney, J. M. (2003). How do people grow from their experience with trauma or loss? *Journal of Social and Clinical Psychology*, 22(5), 477-492.
- de Silva, P. (2012). *The lost art of sadness and the meaning of love and grief*. Paper presented at the 2nd International Association of Buddhist Universities: Buddhist psychotherapy, Thailand.
- DiGiacomo, M., Lewis, J., Nolan, M. T., Phillips, J., & Davidson, P. M. (2013). Health transitions in recently widowed older women: A mixed methods study. *BMC Health Services Research*, 13(143), 1-10.
- Doosje, B., & Branscombe, N. R. (1998). Guilty by association: When one's group has a negative history. *Journal of Personality and Social Psychology*, 75(4), 872-886.
- Eisenhardt, K. M. (1989). Building theories from case study research. *Academy of Management Review*, 14(4), 532-550.
- Eisma, M. C. (2015). *Rumination following bereavement: Assessment, working mechanisms and intervention*. The Netherlands: Dutch Organization for Scientific Research.
- Fawcett, J. (2013). Bereavement and the four noble truths. *Psychiatric Annals*, 43(6), 246.
- Field, N. P. (2010). Continuing bonds, risk factors for complicated grief, and adjustment to bereavement. *Death Studies*, 34, 1-29. doi: 10.1080/07481180903372269
- Field, N. P., Gal-Oz, E., & Bonanno, G. A. (2003). Continuing bonds and adjustment at 5 years after the death of a spouse. *Journal of Consulting and Clinical Psychology*, 71(1), 110-117. doi: 10.1037/0022-006X.71.1.110
- Flatt, B. (1988). Grief counselling. *Journal of Pastoral Care*, 36(3), 133-145.

- Flynn, F. J., & Schaumberg, R. L. (2012). When feeling bad leads to feeling good: Guilt-proneness and affective organisational commitment. *Journal of Applied Psychology*, 97(1). doi: 10.1037/a0024166
- Gerber, M. M., Boals, A., & Schuettler, D. (2011). The unique contributions of positive and negative religious coping to posttraumatic growth and PTSD. *Psychology of Religion and Spirituality*, 3(4), 298-307. doi: 10.1037/a0023016
- Gethin, R. (1998). *The foundations of Buddhism*. Oxford, UK: Oxford University Press.
- Goss, R. E., & Klass, D. (1997). Tibetan Buddhism and the resolution of grief: The Bardodol for the dying and the grieving. *Death Studies*, 21(4), 377-395.
- Hamel, J., Dufour, S., & Fortin, D. (1993). *Case study methods*. California: Sage Publications, Inc.
- Harms, L., & Talbot, M. (2007). The aftermath of road trauma: Survivors' perceptions of trauma and growth. *Health and Social Work*, 32(2), 129-137.
- Hensley, L. (2008). Death, dying, and bereavement. In S. F. Davis & W. Buskist (Eds.), *21st century psychology: A reference handbook* (pp. 64-71). USA: SAGE Publications.
- Hensley, P. L., & Clayton, P. J. (2013). Why the bereavement exclusion was introduced in DSM-III. *Psychiatric Annals*, 43(6), 256-260.
- Ho, S. M. Y., Chu, K. W., & Yu, J. (2008). The relationship between explanatory style and posttraumatic growth after bereavement in a non-clinical sample. *Death Studies*, 32, 461-478. doi: 10.1080/07481180801974760
- Holmes, T. H., & Rahe, R. H. (1967). The Social Readjustment Rating Scale. *Journal of Psychosomatic Research*, 11, 213-218.
- Hoppes, S., & Segal, R. (2010). Reconstructing meaning through occupation after the death of a family member: Accommodation, assimilation, and continuing bonds. *The American Journal of Occupational Therapy*, 64(1), 133-141.
- Iglewicz, A., Seay, K., Vigeant, S., Jouhal, S. K., & Zisook, S. (2013). The bereavement exclusion: The truth between pathology and politics. *Psychiatric Annals*, 43(6), 261-266.
- Jackson, J., & Coyle, A. (2009). The ethical challenge of working with spiritual difference: An interpretative phenomenological analysis of practitioners' accounts. *Counselling Psychology Review*, 24(3 & 4), 86-99.
- Joseph, S. (2009). Growth following adversity: Positive psychological perspectives on posttraumatic stress. *Psychological Topics*, 18(2), 335-344.
- Kübler-Ross, E. (1969). *On death and dying*. New York: Macmillan Publishing Company.
- Kübler-Ross, E. (1974). *Questions and answers on death and dying*. USA: Macmillan Publishing Company.
- Kübler-Ross, E. (1981). *Living with death and dying*. USA: Macmillan Publishing Company.
- Kübler-Ross, E. (1997). *The wheel of life: A memoir of living and dying*. New York: Scribner.

- Kübler-Ross, E., & Kessler, D. (2005). *On grief and grieving*. New York: Scribner.
- Kaori, W., & Park, J. (2009). Integrating Buddhist psychology into grief counselling. *Death Studies*, 33, 657-683. doi: 10.1080/07481180903012006
- Kaplan, A. (2014). Recalibrating a psychoanalytic compass: Searching for flexibility in the midst of grief and loss. *Psychoanalytic Perspectives*, 11(3), 229-242. doi: 10.1080/1551806X.2014.938944
- Karam, E. G., Tabet, C. C., & Itani, L. A. (2013). The bereavement exclusion: Findings from a field study. *Psychiatric Annals*, 43(6), 267-271.
- Katz, J. (2001). Conclusion. In J. Hockey, J. Katz, & N. Small (Eds.), *Grief, mourning and death ritual* (pp. 267-273). Britain: Open University Press.
- Kawamura, L. S. (2000). Facing life and death: A Buddhist understanding of palliative care and bereavement. In J. D. Morgan (Ed.), *Meeting the needs of our clients creatively: The impact of arts and culture on caregiving* (pp. 105-122). New York: Baywood Publishing Company.
- Khosravan, S., Salehi, S., Ahmadi, F., Sharif, F., & Zamani, A. (2010). Experiences of widows with children: A qualitative study about spousal death in Iran. *Nursing and Health Sciences*, 12, 205-211. doi: 10.1111/j.1442-2018.2010.00522.x
- Klass, D. (1996). Grief in an Eastern culture: Japanese ancestor worship. In D. Klass, P. R. Silverman, & S. L. Nickman (Eds.), *Continuing bonds: New understanding of grief* (pp. 59-70). Washington, DC: Taylor & Francis.
- Klass, D. (2001). Continuing bonds in the resolution of grief in Japan and North America. *The American Behavioural Scientist*, 44(5), 742-763.
- Klass, D., & Goss, R. (1999). Spiritual bonds to the dead in cross-cultural and historical perspective: Comparative religion and modern grief. *Death Studies*, 23(6), 547-567.
- Koca-Atabey, M., & Öner-Özkan, B. (2014). Loss anxiety: An alternative explanation for the fundamental fears in human beings. *Death Studies*, 38(10), 662-671. doi: 10.1080/07481187.2013.844748
- Kvande, M. N., Klöckner, A., Moksnes, U. K., & Espnes, G. A. (2015). Do optimism and pessimism mediate the relationship between religious coping and existential well-being? Examining mechanisms in a Norwegian population sample. *The International Journal for the Psychology of Religion*, 25(2), 130-151. doi: 10.1080/10508619.2014.892350
- Kwan, S. S.-m. (2007). Clinical efficacy of ritual healing and pastoral ministry. *Pastoral Psychology*, 55, 741-749. doi: 10.1007/s11089-007-0079-9
- Lamb, D. H. (1988). Loss and grief: Psychotherapy strategies and interventions. *Psychotherapy*, 25(4), 561-569.
- Long, J. B. (1975). The death that ends death in Hinduism and Buddhism. In E. Kübler-Ross (Ed.), *Death The final stage of growth* (pp. 52-72). USA: Prentice-Hall, Inc.

- Lund, D., Caserta, M., Utz, R., & De Vries, B. (2010). Experiences and early coping of bereaved spouses/partners in an intervention based on the dual process model (DPM). *OMEGA: Journal of Death and Dying, 61*(4), 291-313. doi: 10.2190/OM.61.4.c
- Malkinson, R. (2010). Cognitive-behavioural grief therapy: The ABC model of rational-emotion behaviour therapy. *Psychological Topics, 19*(2), 289-305.
- McConnell, J. R. (1999). The ambiguity about death in Japan: An ethical implication for organ procurement. *Journal of Medical Ethics, 25*, 322-324.
- Mohamed, A. I., Elati, I. H. A., & Zaki, M. M. (2015). Knowledge and attitude of maternity nurses regarding perinatal bereavement care. *Journal of Nursing Education and Practice, 5*(2), 136-142. doi: 10.5430/jnep.v5n2p136
- Nakasone, R. Y. (2000). Buddhist issues in end-of-life decision making. In K. L. Braun, J. H. Pietsch, & P. L. Blanshette (Eds.), *Cultural issues in end-of-life decision making* (pp. 213-228). Thousand Oaks, CA: Sage.
- Neimeyer, R. A. (2000). Searching for the meaning of meaning: Grief therapy and the process of reconstruction. *Death Studies, 24*(6), 541-558.
- Neimeyer, R. A. (2002). Traumatic loss and the reconstruction of meaning. *Journal of Palliative Medicine, 5*(6), 935-942.
- Nesse, R. M. (2005). An evolutionary framework for understanding grief. In D. Carr, R. M. Nesse, & C. B. Wortman (Eds.), *Spousal Bereavement in Late Life* (pp. 195-226). New York: Springer Publishing.
- Neuberger, J. (2005). *Caring for dying people of different faiths* (3rd ed.). UK: Radcliffe Medical Press Limited.
- Ng, Y. K. 吳. (1994). *Contemporary interpretation of Indian Buddhism 印度佛學的現代詮釋*. Taipei: Wen Jin Publishing Company Limited 文津出版有限公司.
- Nithsdale, V., Davies, J., & Croucher, P. (2008). Psychosis and the experience of employment. *Journal of Occupational Rehabilitation, 18*, 175-182.
- Nwalutu, M. O. (2012). Healing bereavement through rituals: A Review of the Weppa Wanno widowhood purification practices. *Sociology Mind, 2*(3), 313-324. doi: 10.4236/sm.2012.23042
- Ong, A. D., Fuller-Rowell, T. E., Bonanno, G. A., & Almeida, D. M. (2011). Spousal loss predicts alterations in diurnal cortisol activity through prospective changes in positive emotion. *Health Psychology, 30*(2), 220-227. doi: 10.1037/a0022262
- Ozorak, E. W. (1996). The power, but not the glory: How women empower themselves through religion. *Journal for the Scientific Study of Religion, 35*(1), 17-29.
- Pals, J. L., & McAdams, D. P. (2004). The transform self: A narrative understanding of posttraumatic growth. *Psychological Inquiry, 15*, 65-69.
- Park, C. L., & Halifax, R. J. (2011). Religion and spirituality in adjusting to bereavement: Grief as burden, grief as gift. In R. A. Neimeyer, D. L. Harris, H. R. Winokuer, & G.

- F. Thornton (Eds.), *Grief and bereavement in contemporary society: Bridging research and practice* (pp. 355-364). USA: Routledge.
- Pies, R. (2013). From context to phenomenology in grief versus major depression. *Psychiatric Annals*, *43*(6), 286-290.
- Pond, K. (2012). A study of childhood grief and the church's response. *Christian Education Journal*, *9*(1), 43-63.
- Richardson, V. E. (2010). Length of caregiving and well-being among old widowers: Implications for the dual process model of bereavement. *OMEGA: Journal of Death and Dying*, *61*(4), 333-356. doi: 10.2190/OM.61.4.e
- Riches, G., & Dawson, P. (1998). Lost children, living memories: The role of photographs in processes of grief and adjustment among bereaved parent. *Death Studies*, *22*(2), 121-140.
- Ronen, R., Packman, W., Field, N. P., Davies, B., Karmer, R., & Long, J. K. (2009). The relationship between grief adjustment and continuing bonds for parents who have lost a child. *OMEGA: Journal of Death and Dying*, *60*(1), 1-31. doi: 10.2190/OM.60.1.a
- Ross, K., Handal, P. J., Clark, E. M., & Wal, J. S. V. (2009). The relationship between religion and religious coping: Religious coping as a moderator between religion and adjustment. *Journal of Religion and Health*, *48*, 454-467. doi: 10.1007/s10943-008-9199-5
- Rubin, S. S. (1998). Case study: Reconsidering the transference paradigm in treatment with the bereaved. *American Journal of Psychotherapy*, *52*(2), 215-228.
- Rubin, S. S., & Schechter, N. (1995). Exploring the social construction of bereavement: Perceptions of adjustment and recovery in bereaved men. *American Journal of Orthopsychiatry*, *6*(2), 279-289.
- Schick, K. (2011). Acting out and working through: Trauma and (in)security. *Review of International Studies*, *37*, 1837-1855. doi: 10.1017/S0260210510001130
- Seirmarco, G., Neria, Y., Insel, B., Kiper, D., Doruk, A., & Litz, B. (2011). Religiosity and mental health: Changes in religious beliefs, complicated grief, posttraumatic stress disorder, and major depression following the September 11, 2001 attacks. *Psychology of Religion and Spirituality*, *4*(1), 10-18. doi: 10.1037/a0023479
- Shear, M. K. (2010). Exploring the role of experiential avoidance from the perspective of attachment theory and the dual process model. *OMEGA: Journal of Death and Dying*, *61*(4), 357-369. doi: 10.2190/OM.61.4.f
- Shear, M. K. (2015). Complicated grief. *The New England Journal of Medicine*, *372*(2), 153-160. doi: 10.1056/NEJMcp1315618
- Shinebourne, P., & Smith, J. A. (2009). Alcohol and the self: An interpretative phenomenological analysis of the experience of addiction and its impact on the sense of self and identity. *Addiction Research and Theory*, *17*(2), 152-167.

- Small, N. (2001). Theories of grief: A critical review. In J. Hockey, J. Katz, & N. Small (Eds.), *Grief, mourning and death ritual* (pp. 19-48). Britain: Open University Press.
- Smith, J. A. (1996). Beyond the divide between cognition and discourse: Using interpretative phenomenological analysis in health psychology. *Psychology and Health, 11*, 261-271.
- Smith, J. A., Flowers, P., & Larkin, M. (2009). *Interpretative phenomenological analysis: Theory, method and research*. London, UK: SAGE Publications Limited.
- Soy, S. K. (1997). The case study as a research method. Unpublished paper. Retrieved January 19, 2011, from <http://www.ischool.utexas.edu/~ssoy/usesusers/l391d1b.htm>.
- Stroebe, M., Schut, H., & Stroebe, W. (2005). Attachment in coping with bereavement: A theoretical integration. *Review of General Psychology, 9*(1), 48-66. doi: 10.1037/1089-2680.9.1.48
- Stroebe, M. S. (2010). The dual process model of coping with bereavement: A decade on. *OMEGA: Journal of Death and Dying, 61*(4), 273-289. doi: 10.2190/OM.61.4.b
- Suzuki, B. L. (1938/1981a). *Mahāyāna Buddhism*. London: George Allen & Unwin.
- Suzuki, D. T. (1938/1981b). Introduction. In B. L. Suzuki (Ed.), *Mahāyāna Buddhism* (pp. 1-17). London: George Allen & Unwin.
- Tallman, B., Shaw, K., Schultz, J., & Altmaier, E. (2010). Well-being and posttraumatic growth in unrelated donor marrow transplant survivors: A nine-year longitudinal study. *Rehabilitation Psychology, 55*(2), 204-210. doi: 10.1037/a0019541
- Tellis, W. (1997). Introduction to case study. *The Qualitative Report, 3* (2). July. Retrieved February 4, 2011, from <http://www.nova.edu/ssss/QR/QR3-2/tellis1.html>.
- Tsoukas, H. (1989). The validity of idiographic research explanations. *Academy of Management. The Academy of Management Review, 14*(4), 551-561.
- Ullman, C. (1989). *The transformed self: The psychology of religious conversion*. USA: Plenum Press.
- Wang, C.-C. 王. (2007). A heuristic journey to gain access to the inner world of the bereaved 由反思到洞察之路：哀傷研究者的啟發. *Chinese Annual Report of Guidance and Counselling 中華輔導學報, 22*, 71-117.
- Weinbach, R. W. (1989). Sudden death and secret survivors: Helping those who grieve alone. *Social Work, 34*(1), 57-60.
- Wong, P. T. P. (2008). Meaning management theory and death acceptance. In A. Tomer, G. T. Eliason, & P. T. P. Wong (Eds.), *Existential and spiritual issues in death attitudes* (pp. 65-87). New York: Erlbaum.
- Worden, W. J. (1991). *Grief counselling and grief therapy: A handbook for the mental health practitioner* (2nd Ed.). London: Routledge.
- Wright, B. (2012). *A Buddhist perspective on trauma: Understanding, forgiveness, and atonement*. Paper presented at the 2nd International Association of Buddhist

Universities: Buddhist psychotherapy, Thailand.

Yalom, I. D., & Lieberman, M. A. (1991). Bereavement and heightened existential awareness. *Psychiatry*, 54(4), 334-345.

Yalom, I. D., & Sophia, V. (1988). Bereavement groups: Techniques and themes. *International Journal of Group Psychotherapy*, 38(4), 419-446.

Yin, R. K. (1989). *Case study research: Design and methods*. Newbury Park, California: SAGE Publications, Inc.

Yin, R. K. (2003). *Applications of case study research* (2nd ed.). Thousand Oaks, California: SAGE Publications, Inc.

Acknowledgements: I particularly thank Pureté de Lotus, who shared her experience with me and allowed me to use her dharma name in this manuscript. I also appreciate Dr Sandra Tsang, Dr Wei Rui Xiong, and an anonymous translator for their assistance; Dr Xin Shui Wang for his comments on the earlier draft of this work; and Professor Samson Tse, who supervised this project.

Remark: This manuscript is developed from the conference paper *Cheng and Tse (2014b)* “Just eliminate the illness; Do not eliminate dharmas”: A case study on the lived experience of a Buddhist surviving spouse, which was published in the conference proceedings of the 4th Asian Conference on Psychology and the Behavioural Sciences (pp. 41-58), March 27-30, 2014, Osaka, Japan.

Email Fung Kei Cheng: oasischeng@yahoo.com